



Clips conveniently into a shirt pocket. Krypton light is extremely bright, yet much safer than laser sources.

Tester acts as inspection back light. Operates on 2 AA batteries (not included)

- Powerful Krypton light source provides long range over multimode fiber
- Soft ferrule gripping membrane is designed to protect finished ferrules while firmly securing the connector in the tester body

Individual packing

Blister card

ST-5208 General Purpose Tool Pouch



Water repellent



Demo only



Model No.	Material	Loading capacity	Dimension (mm)	Individual packing
ST-5208	600DX600D Polyester	4kg	169x290x50	Poly bag + Hanger

AISI 4140 Alloy steel



S45C medium carbon steel HRC 45°



Elastomeric resin fitting exactly and double structure. Non-slip. Green: PP Balck: T.P.R

Crimping pressure adjustment



Ratcheting release trigger



8PK-301F2	Fiber Optic Crimping Tool		SMA, SMB, FC Bionnic and SC & ST Fiber Optic Connectors SQ.042", HEX.068", .151", .178", .213" SQ1.07, HEX1.73, 3.84, 4.52, 5.41mm
8PK-301J	Fiber Optic Crimping Tool		RG174, RG179, Belden8218 Fiber Optic HEX .042", .068", .078", .128", .151", .178" HEX 1.07, 1.73, 1.98, 3.25, 3.84, 4.52mm



For 6PK-230PA
8PK-301A
8PK-301C



For 8PK-301F1
8PK-301F2
CP-301F4
8PK-301J

8PK-325

Round Cable Slitting And Ringing Tool

- Material: ABS+Fiber glass
- Replacement blade mode No. : 5PK-325-BL

Model No.	Blade holder	Application (Strip dimension)	OAL (mm)	Individual packing
8PK-325	Plastic	Strip cables from 4.5-25mm (0.18"~1.0") diameter	150	Blister card



8PK-326

Fiber Optic Stripper

OAL: 148mm

Strips 125 micron glass fiber with 250 micron buffer coating without scratching or nicking glass fiber.

Material	HRC	Individual packing
S50C	48±2	Blister card





8PK-C002 **Foam Swabs Cleaning Kit**



For clean up of organic & inorganic residue in clean room and other areas.
Ideal for fiber optic clean work

Individual packing

Blister card

8PK-MA009

Fiber Optic Viewing Scope Kit



This fiber optic viewing scope kit makes it simple to view ST/SC Pre-encapsulated FDDI, and the ends of fiber before and after cleaving operations.

Magnification	Bulb	Battery	Individual packing
200X Adjustable	2.25V/0.25A	AAx2pcs	Blister card

Pro'sKit®



PART NO.: CP-FB01

FTTH Drop Cable Stripper



Description

Universal Stripper for 3.1x2.0mm FTTH drop cables with steel wire or FRP strength member.
Made of zinc alloy steel with PVC non-slip handle.
Improve cable splicing, more efficient and easy to use.



Coaxial Crimping Tool



AISI 4140 Alloy steel

S45C medium carbon steel HRC 45¹

Elastomeric resin fitting exactly and double structure. Non-slip. Green: PP Balck: T.P.R

Crimping pressure adjustment

Ratcheting release trigger



For 6PK-230PA
8PK-301A
8PK-301C



For 8PK-301F1
8PK-301F2
CP-301F4
8PK-301J

Model No.	Description	Crimp die profile	Application	OAL (mm)	Individual packing
6PK-230PA	Coaxial Connectors Crimping Tool		For crimping RG type cables 55, 58, 59, 5, 6, 21, 141, 142, 143, 210, 212, 222, 223, 303, 304, 400 Belden: 8279, 8281, 9231 & 9141 HEX .068", .098", .213", .255", .321" HEX 1.73, 2.49, 5.41, 6.48, 8.15mm	220	Blister card
8PK-301F1	Fiber Optic Crimping Tool		SRF, SMF Fiber Optic Connectors SQ.042", HEX.068", RND.133", .162", .195" SQ1.07, HEX1.73, RND3.38, 4.11, 4.95mm	220	Blister card
8PK-301F2	Fiber Optic Crimping Tool		SMA, SMB, FC Biconic and SC & ST Fiber Optic Connectors SQ.042", HEX.068", .151", .178", .213" SQ1.07, HEX1.73, 3.84, 4.52, 5.41mm	220	Blister card
CP-301F4	Fiber Optic Crimping Tool	 	FOR FC, SC, ST, LC, SMA & MT-RJ Fiber Optic Connectors HEX.139", .151", .178", RD .134", .190 HEX3.53, 3.84, 4.52, RD3.40, 4.83mm	220	Blister card
8PK-301J	Fiber Optic Crimping Tool		RG174, RG179, Belden8218 Fiber Optic HEX .042", .068", .078", .128", .151", .178" HEX 1.07, 1.73, 1.98, 3.25, 3.84, 4.52mm	220	Blister card
8PK-301A	Coaxial Crimping Tool		RG58, RG59, RG62 HEX .068", .213", .256" HEX 1.73, 5.41, 6.50mm	220	Blister card
8PK-301C	Coaxial Crimping Tool		RG58, RG59, RG62, RG6 HEX .068", .213", .256", .319" HEX 1.73, 5.41, 6.50, 8.10mm	220	Blister card

DK-2026N

Carbide Fiber Scribe



Wide, inclined carbide tip for easy cleaving. Light weight, pen-size body clips to shirt pocket and features a comfortable finger grip.


OAL (mm)	Individual packing
130	Blister card

Products

FB-1688 Fiber Cleaver

Standard Precision Single Mode Fiber Cleaver

- Precise and easy to use.
- Simple and easy replacement of blade
- 16 cutting location for each blade, service life up to 48000 times
- Replacement blade is available.





8PK-301F1/8PK-301F2/8PK-301J

Fiber Optic Crimping Tool

OAL:220mm

Model No.	Material	HRC	Handle	Application	Weight (g)	Individual packing
8PK-301F1	Frame S45C DIE: AISI4140	45±3°	Green: PP Black: T.P.R	.042", .068", .133" .162", .195"(oval type)	520	Blister Card
8PK-301F2				.042", .068", .151" .178", .213" (Hex)		
8PK-301J				.042", .068", .078" .128", .151", .178"(Hex) (1.07/1.72/1.98/3.25/ 3.84/4.52mm) RG174, 179, Belden8218 Fiber Optic		

1PK-940KN

Fiber Optic Tool Kit

103-132C	Utility component storage box
1FB-SC	SC polishing disk
1FB-ST	ST polishing disk
1PK-258A	Side Cutter 125mm
8PK-301F1	Fiber optic crimping tool
8PK-326	Fiber optic tools
8PK-C002	Foam swabs cleaning kit
8PK-MA009	Fiber optic viewing scope kit
9G100N	Universal syringe 2.5ml
DK-2026N	Carbide fiber scribe
DK-2043	Fiber optic kevlar cutter
9Z-940KP	Carrying zipper bag (280x197x70mm)

Individual packing

Inner box + Color label shrink





Continuity test



Proskit_pg_1-2.JPG
 Type: JPEG Image
 Size: 2.40 MB
 Dimension: 3308 x 2244 pixels



Model No.	Connector Type	Light Source	Nominal Wavelength	Temperature	Size	Batteries	Individual Packing
MT-7508	2.5mm (FC/ SC / ST)	Class 3A laser diode	650nm±10nm	Operating temp.: 0~40°C	Length: 155±2mm Diameter: 13.5mm	2 X AAA (Not included)	Color box with black EVA inner case
MT-7509	1.25mm (LC)			Storage temp.: -20°C~60°C			

DK-2043

Fiber Optic Kevlar Cutter

- Blades made of high carbon alloy steel with vanadium and molybdenum (HRC60-62), cutting edge hardness 17x120J
- Handle made of thermo plastic elastomer
- Extended tang for durability
- Specialized blade for grinding materials
- Specially designed for cutting kevlar materials



Free cutting Kevlar of fiber optic cable



Handled Cutting edge	Handle	Weight (g)	Individual Packing
HV120J	TPR	84g	Blister Card